

**316 Stainless Steel Sleeve Anchor**


*Do not see the size you need? We represent multiple manufacturers that stock other sizes.*

<i>Do not see the size you need? We represent multiple manufacturers that stock other sizes.</i>												
<b>ACORN NUT</b>												
* 1/4 X 1-3/8"	1/4"	3/8"	1"	3/16"	5-8	1,356	792	1,400	920	1,640	1,148	100
* 1/4 X 2-1/4"		1-1/4"										
<b>HEX NUT</b>												
* 5/16 X 1-1/2"	5/16"	1/2"	1-1/8"	1/4"	18-22	1,840	1,376	1,900	1,600	2,040	2,000	100
* 5/16 X 2-1/2"		1-1/2"										100
* 3/8 X 1-7/8"	3/8"	5/8"	1-1/4"	5/16"	22-26	2,840	1,736	2,960	2,020	3,256	2,524	50
* 3/8 X 3"		1-3/4"										50
<b>FLAT HEAD</b>												
* 3/8 X 4"	3/8"	2-3/4"	1-1/4"	5/16"	22-26	2,840	1,736	2,960	2,020	3,256	2,524	50

**\* Stainless Steel Only Available In Hex Nut Type.**

**APPROVALS / LISTINGS**

G.S.A. Spec FF-S-325C, Group II, Type 3, Class 3  
FM 3/8" - 1/2"



### 304 Stainless Steel Wedge Anchor

Do not see the size you need? We represent multiple manufacturers that stock other sizes.

7/8"	1/4 X 1-3/4"	1/4"	A	3/8"	8-10	1-1/8"	1,173	1,472	1,015	1,472
1-3/8"	1/4 X 2-1/4"		B	7/8"		2-1/4"	2,573	1,472	2,711	1,472
2-1/4"	1/4 X 3-1/4"		D	1-7/8"						
1-3/16"	3/8 X 2-1/4"	3/8"	B	1/4"	15-30	1-5/8"	2,289	3,151	2,367	3,151
1-5/8"	3/8 X 2-3/4"		C	3/4"						
1-7/8"	3/8 X 3"		D	1"		3-3/8"	3,556	3,151	5,203	3,151
2-5/8"	3/8 X 3-3/4"		E	1-3/4"						
4"	3/8 X 5"		H	3"						
1-1/2"	1/2 X 2-3/4"	1/2"	C	1/8"	25-50	2-1/4"	4,120	6,828	5,068	6,828
2-1/2"	1/2 X 3-3/4"		E	1"						
3"	1/2 X 4-1/4"		F	1-1/2"		4-1/2"	4,608	6,828	5,772	6,828
4"	1/2 X 5-1/2"		I	2-3/4"						
1-1/4"	1/2 X 7"		L	4-1/4"						
1-5/8"	5/8 X 3-1/2"	5/8"	E	1/8"	40-75	2-3/4"	5,486	9,659	5,556	9,659
2-5/8"	5/8 X 4-1/2"		G	1-1/8"						
3-1/4"	5/8 X 5"		H	1-5/8"		5-5/8"	6,957	9,659	9,294	9,659
4-1/8"	5/8 X 6"		J	2-5/8"						
4-1/8"	5/8 X 7"		L	3-5/8"						
4-1/8"	5/8 X 8-1/2"		O	5-1/8"						
4-1/8"	5/8 X 10"		R	6-5/8"						
2-3/8"	3/4 X 4-1/4"	3/4"	F	1/8"	100-200	3-3/8"	9,267	15,126	11,975	15,126
2-7/8"	3/4 X 4-3/4"		G	5/8"						
3-5/8"	3/4 X 5-1/2"		I	1-3/8"		6-3/4"	13,278	15,126	16,201	15,126
4-1/4"	3/4 X 6-1/4"		J	2-1/8"						
2"	3/4 X 7"		L	2-7/8"						
2"	3/4 X 8-1/2"		O	4-3/8"						
2"	3/4 X 10"		R	5-7/8"						
2"	3/4 X 12"		T	7-7/8"						
2-1/4"	7/8 X 6"		7/8"	J		1-1/8"	125-225	4"	9,746	21,574
2-1/4"	7/8 X 8"		N	3-1/8"		8"	14,378	21,574	20,288	21,574

Sup-R-Sleeve Order Detail

2-1/4"	7/8 X 10"		R	5-1/8"						
2-1/4"	1 X 6"		J	1/2"		4-1/2"	10,226	28,023	15,829	28,023
2-1/4"	1 X 9"	1"	P	3-1/2"	150-250	9"	15,479	28,023	24,375	28,023
2-1/4"	1 X 12"		T	6-1/2"						
3-1/4"	1-1/4 X 9"	1-1/4"	P	1-1/4"	200-350	6-1/2"	14,720	33,000	23,090	36,600
3-1/4"	1-1/4 X 12"		T	4-1/4"						

*\*Sizes Made To Order* NOTE: THE LOAD VALUES ABOVE ARE FOR ALL LENGTHS  
OF A GIVEN DIAMETER CAPABLE OF REACHING  
THE EMBEDMENT SPECIFIED.

**APPROVALS / LISTINGS**

ICBO ER-3219

UL Listed 3/8" - 1" (except 7/8")

FM 3/8" - 3/4"

G.S.A. Spec FF-S-325C, Group II, Type 4, Class 1

©2001 MKT Fastening, LLC. All rights reserved.



### 316 Stainless Steel Wedge Anchor

*Do not see the size you need? We represent multiple manufacturers that stock other sizes.*

Anchor Size	Anchor Dimensions	Anchor Diameter	Anchor Type	Anchor Length	Anchor Spacing	Anchor Spacing				
						Anchor Spacing	Anchor Spacing	Anchor Spacing	Anchor Spacing	Anchor Spacing
3/4"	1/4 X 1-3/4"	1/4"	A	3/8"	8-10	1-1/8"	1,173	1,472	1,015	1,472
	1/4 X 2-1/4"		B	7/8"		2-1/4"	2,573	1,472	2,711	1,472
	1/4 X 3-1/4"		D	1 7/8"						
1-1/8"	3/8 X 2-1/4"	3/8"	B	1/4"	15-30	1-5/8"	2,289	3,151	2,367	3,151
	3/8 X 2-3/4"		C	3/4"		3-3/8"	3,556	3,151	5,203	3,151
	3/8 X 3"		D	1"						
	3/8 X 3-3/4"		E	1 3/4"						
	3/8 X 5"									
1-1/4"	1/2 X 2-3/4"	1/2"	H	3"	25-50	2-1/4"	4,120	6,828	5,068	6,828
	1/2 X 3-3/4"		C	1/8"						
	1/2 X 4-1/4"		E	1"		4-1/2"	4,608	6,828	5,772	6,828
	1/2 X 5-1/2"		F	1-1/2"						
	1/2 X 7"		I	2 3/4"						
1-1/2"	5/8 X 3-1/2"	5/8"	L	4-1/4"	40-75	2-3/4"	5,486	9,659	5,556	9,659
	5/8 X 4-1/2"									
	5/8 X 5"		E	1/8"						
	5/8 X 6"		G	1-1/8"		5-5/8"	6,957	9,659	9,294	9,659
	5/8 X 7"		H	1-5/8"						
	5/8 X 8-1/2"		J	2-5/8"						
	5/8 X 10"		L	3 5/8"						
2"	3/4 X 4-1/4"	3/4"	O	5-1/8"	100-200	3-3/8"	9,267	15,126	11,975	15,126
	3/4 X 4-3/4"		R	6-5/8"						
	3/4 X 5-1/2"									
	3/4 X 6-1/4"		F	1/8"		6-3/4"	13,278	15,126	16,201	15,126
	3/4 X 7"		G	5/8"						
	3/4 X 8-1/2"		I	1-3/8"						
	3/4 X 10"		J	2-1/8"						
	3/4 X 12"		L	2-7/8"						
2-1/4"	7/8 X 6"	7/8"	Q	4-3/8"	125-225	4"	9,746	21,574	13,902	21,574
			R	5-7/8"						
			T	7-7/8"						

Sup-R-Sleeve Order Detail

	7/8 X 8" 7/8 X 10"		N R	3-1/8" 5-1/8"		8"	14,378	21,574	20,288	21,574
2-1/4"	1 X 6" 1 X 9" 1 X 12"	1"	J P T	1/2" 3-1/2" 6-1/2"	150-250	4-1/2"	10,226	28,023	15,829	28,023
						9"	15,479	28,023	24,375	28,023
3-1/4"	1-1/4 X 9" 1-1/4 X 12"	1-1/4"	P T	1-1/4" 4-1/4"	200-350	6-1/2"	14,720	33,000	23,090	36,600

*\*Sizes Made To Order*

*NOTE: THE LOAD VALUES ABOVE ARE FOR ALL LENGTHS  
OF A GIVEN DIAMETER CAPABLE OF REACHING  
THE EMBEDMENT SPECIFIED.*

**APPROVALS / LISTINGS**

ICBO ER-3219

UL Listed 3/8" - 1" (except 7/8")

FM 3/8" - 3/4"

G.S.A. Spec FF-S-325C, Group II, Type 4, Class 1

©2001 MKT Fastening, LLC. All rights reserved.